CONTENTS - VOLUME XIV, 1994

No. 1

Study of the efficacy and safety of the combination ramipril 2.5 mg plus hydrochlorothiazide 12.5 mg in patients with mild-to-moderate hypertension
GENTHON R. and the ATHES study group 1

Efficacy and tolerability of etodolac in aged patients affected by degenerative joint disease (osteoarthritis) in its active phase
TODESCO S., DEL ROSS T., MARIGLIANO V., ARIANI A. 11

Effects of successive dose increases of policosanol on the lipid profile of patients with type II hypercholesterolaemia and tolerability to treatment
PONS P., RODRÍGUEZ M., ROBAINA C., ILLNAIT J., MÁS R., FERNÁNDEZ L., FERNÁNDEZ J.C. 27

Effect of increasing doses of lisinopril on proteinuria of normotensive patients with IgA nephropathy and normal renal function
PALLA R., PANICHI V., FINATO V., PARRINI M., ANDREINI B., BIANCHI A.M., GIOVANNINI L., MIGLIORI M., BERTELLI A.A.E. 35

No. 2

Human pharmacokinetics and tolerability of L-697,639, a non-nucleoside HIV-1 reverse transcriptase inhibitor
VAN HECKEN A., DEPRE M., DE LEPELEIRE I., LASKIN O., AU T., WOOLF E., YEH K.C., DE SCHEPPER P.J. 45

Pharmacokinetic study of rifaximin after oral administration in healthy volunteers
DESCOMBE J.J., DUBOURG D., PICARD M., PALAZZINI E. 51

The purine nucleotide content of lymphocytes from patients with rheumatoid arthritis
MARINELLO E., CARLUCCI F., TABUCCHI A., LEONCINI R., PIZZICHINI M., PAGANI R. 57

Dynamic training and circulating neuropeptides in patients with rheumatoid arthritis: a comparative study with healthy subjects
EKDAHL C., EKMAN R., PETERSSON I., SVENSSON B. 65

Rheumatoid nodules and cyclosporin A treatment
SPADARO A., FIORE D., IAGNOCCO A., RICCIERI V., SILI SCAVALLI A., COARI G., TACCARI E., ZOPPINI A. 75

Intra-articular injection of somatostatin in knee osteoarthritis: clinical results and IGF-1 serum levels
SILVERI F., MOROSINI P., BRECCIAROLI D., CERVINI C. 79

No. 3

Influence of concomitant food intake on the gastrointestinal absorption of fluconazole and itraconazole in Japanese subjects
ZIMMERMANN T., YEATES R.A., ALBRECHT M., LAUFEN H., WILDFEUER A. 87

Pharmacodynamics and pharmacokinetics of Veliten® (rutine, alpha-tocopherol and ascorbic acid) in patients with chronic venous insufficiency
AUTERI A., PASQUI A.L., BRUNI F., DI RENZO M., BOVA G., CHIARION C., DELCHAMBRE J. 95

Haematological effects of pulse steroid therapy
DEMIR G., DERMAN U., BERKARDA B. 101

Fosfomycin distribution in the lower urinary tract after administration of fosfomycin trometamol salt
SCAGLIONE F., CICCHETTI F., DEMARTINI G., ARCIDIACONO M. 107

Immune response in patients with intra-abdominal infections treated with carbapenems
BRISMAR B., EKLUND A.E., NORD C.E. 111

No. 4

Binding of retinoid analogues to albumin and lipoproteins of human plasma
URIEN S., CLAUDEPIERRE P., NGUYEN P., CHASSANY O., MEYER J., BRANDT R., TILLEMENT J.-P. 115

Changes in cerebrospinal fluid levels of malondialdehyde and glutathione reductase activity in multiple sclerosis
CALABRESE V., RAFFAELE R., COSENTINO E., RIZZA V. 119

Usefulness of mazindol in combined diet therapy consisting of a low-calorie diet and Optifast in severely obese women
YOSHIDA T., SAKANE N., UMEKAWA T., YOSHIOKA K., KONDO M., WAKABAYASHI Y. 125

Long-term therapy with 5-aminosalicylic acid in Crohn's disease: is it useful? Our four years experience
BRESCI G., PARISI G., BANTIS S. 133

Croconazole: a new broad spectrum agent in the treatment of fungal skin infections
MEINICKE K., MICHEL G. 139

No. 5/6

Urinary phospholipids excretion in neonates treated with amikacin
IBRAHIM S., LANGHENDRIES J.P., BERNARD A., TULKENS P.M. 149

Infections due to *Rhodococcus equi* in three HIV-infected patients: microbiological findings and antibiotic susceptibility
MASCELLINO M.T., IONA E., PONZO R., MASTROIANNI C.M., DELIA S. 157

Upregulated expression of peripheral serotonergic receptors in migraine and cluster headache by sumatriptan
MARTELLETTI P., STIRPARO G., RINALDI C., GIACOVAZZO M. 165

Etofibrate therapy and effect of added low-dose cholestyramine in patients with combined hyperlipidaemia
KRÜGER B. 177

Evaluation of piroxicam-β-cyclodextrin, piroxicam, paracetamol and placebo in post-operative oral surgery pain
DOLCI G., RIPARI M., PACIFICI L., UMILE A. 185

Efficacy of Contractubex® gel in the treatment of fresh scars after thoracic surgery in children and adolescents
WILLITAL G.H., HEINE H. 193

Double-blind comparison of the efficacy and safety of etodolac SR 600 mg u.i.d. and of tenoxicam 20 mg u.i.d. in elderly patients with osteoarthritis of the hip and of the knee
PERPIGNANO G., BOGLIOLO A., PUCCETTI L. 203

Contents index (1994) 217

Author index (1994) 221